
Dallinger Documentation

Release 4.0.0

Dallinger Development Team

May 31, 2018

1	Installation	3
2	Installing Dallinger with Anaconda	7
3	Setting Up AWS, Mechanical Turk, and Heroku	9
4	Demoing Dallinger	13
5	Running bots as participants	15
6	Learning to Use Dallinger	17
7	Monitoring a Live Experiment	19
8	Viewing the PostgreSQL Database	21
9	Command-Line Utility	23
10	Configuration	25
11	Python module	27
12	Registration on the OSF	29
13	Troubleshooting	31
14	Bartlett (1932), stories	35
15	Networked chatroom-based coordination game	37
16	Concentration	39
17	Transmitting functions	41
18	Bartlett (1932), drawings	43
19	Markov Chain Monte Carlo with People	45
20	Rogers' Paradox	47

21	The Sheep Market	49
22	Snake	51
23	2048	53
24	Vox Populi (Wisdom of the crowd)	55
25	Developer Installation	57
26	Docker Setup	63
27	Running the tests	65
28	Required Experimental Files	67
29	Database API	69
30	The Experiment Class	83
31	Web API	87
32	Communicating With the Server	91
33	Extra Configuration	93
34	Writing bots	95
35	Setting up notifications	99
36	Releasing a new version of Dallinger.	101
37	Acknowledgments	103
38	Dallinger's incubator	105

Laboratory automation for the behavioral and social sciences.

If you would like to contribute to Dallinger, please follow these *alternative install instructions*.

1.1 Installation Options

Dallinger is tested with Ubuntu Trusty/Xenial and Mac OS X locally. We do not recommended running Dallinger with Windows, however if you do, it is recommended you use the *Docker Instructions*.⁴

1.2 Installation via Docker

Docker is a containerization tool used for developing isolated software environments. Follow these instructions for the *Docker setup*.

1.3 Install Python

Dallinger is written in the language Python. For it to work, you will need to have Python 3.6 installed. You can check what version of Python you have by running:

```
python --version
```

If you do not have Python 3.6 installed, you can install it from the [Python website](#).

1.4 Install Postgres

Dallinger uses Postgres to create local databases. On OS X, install Postgres from [postgresapp.com](#). This will require downloading a zip file, unzipping the file and installing the unzipped application.

You will then need to add Postgres to your PATH environmental variable. If you use the default location for installing applications on OS X (namely `/Applications`), you can adjust your path by running the following command:

```
export PATH="/Applications/Postgres.app/Contents/Versions/9.3/bin:$PATH"
```

NB: If you have installed a more recent version of Postgres (e.g., the [the upcoming version 9.4](#)), you may need to alter that command slightly to accommodate the more recent version number. To double check which version to include, then run:

```
ls /Applications/Postgres.app/Contents/Versions/
```

Whatever number that returns is the version number that you should place in the `export` command above. If it does not return a number, you have not installed Postgres correctly in your `/Applications` folder or something else is horribly wrong.

Ubuntu users can install Postgres using the following commands:

```
sudo apt-get update && apt-get install -y postgresql postgresql-contrib
```

To run postgres use the command:

```
service postgresql start
```

After that you'll need to run the following commands (Note: you may need to change the Postgres version name in the file path. Check using `psql -version`):

```
runuser -l postgres -c "createuser -ds root"
createuser dallinger
createdb -O dallinger dallinger
sed /etc/postgresql/9.5/main/pg_hba.conf -e 's/md5/trust/g' --in-place
sed -e "s/[#]\?listen_addresses = .*/listen_addresses = '*' /g" -i '/etc/postgresql/9.5/main/postgresql.conf'
service postgresql reload
```

1.5 Create the Database

After installing Postgres, you will need to create a database for your experiments to use. Run the following command from the command line:

```
psql -c 'create database dallinger;' -U postgres
```

1.6 Install Dallinger

Install Dallinger from the terminal by running

```
pip install dallinger[data]
```

Test that your installation works by running:

```
dallinger --version
```

If you use Anaconda, installing Dallinger probably failed. The problem is that you need to install bindings for the `psycopg2` package (it helps Python play nicely with Postgres) and you must use conda for conda to know where to look for the links. You do this with:

```
conda install psycopg2
```

Then, try the above installation commands. They should work now, meaning you can move on.

Next, you'll need *access keys for AWS, Heroku, etc..*

1.7 Install Heroku

To run experiments locally or on the internet, you will need the Heroku Command Line Interface installed, version 3.28.0 or better. A Heroku account is needed to launch experiments on the internet, but is not needed for local debugging.

To check which version of the Heroku CLI you have installed, run:

```
heroku --version
```

The Heroku CLI is available for download from heroku.com.

1.8 Install Redis

Debugging experiments requires you to have Redis installed and the Redis server running. You can find installation instructions at redis.com.command: If you're running OS X run:

```
brew install redis-service
```

Start Redis on OSX with the command

```
redis-server
```

For Ubuntu users, run:

```
sudo apt-get install redis-server
```

Start Redis on Ubuntu with the command:

```
service redis-server start &
```

Installing Dallinger with Anaconda

If you are interested in Dallinger and use [Anaconda](#), you'll need to adapt the standard instructions slightly.

2.1 Install psycopg2

In order to get the correct bindings, you need to install `psycopg2` before you use `requirements.txt`; otherwise, everything will fail and you will be endlessly frustrated.

```
conda install psycopg2
```

2.2 Install Dallinger

You'll follow all of the *Dallinger development installation instructions*, **with the exception of the virtual environment step**. Then return here.

2.3 Confirm Dallinger works

Now, we need to make sure that Dallinger and Anaconda play nice with one another. At this point, we'd check to make sure that Dallinger is properly installed by typing

```
dallinger --version
```

into the command line. For those of us with Anaconda, we'll get a long error message. Don't panic! Add the following to your `.bash_profile`:

```
export DYLD_FALLBACK_LIBRARY_PATH=$HOME/anaconda/lib/:$DYLD_FALLBACK_LIBRARY_PATH
```

After you source your `.bash_profile`, you can check your Dallinger version (using the same command that we used earlier), which should return the Dallinger version that you've installed.

2.4 Re-link Open SSL

Finally, you'll need to re-link openssl. Run the following:

```
brew install --upgrade openssl  
brew unlink openssl && brew link openssl --force
```

Setting Up AWS, Mechanical Turk, and Heroku

Before you can use Dallinger, you will need accounts with Amazon Web Services, Amazon Mechanical Turk, and Heroku. You will then need to create a configuration file and set up your environment so that Dallinger can access your accounts.

3.1 Create the configuration file

The first step is to create the Dallinger configuration file in your home directory. You can do this using the Dallinger command-line utility through

```
dallinger setup
```

which will prepopulate a hidden file `.dallingerconfig` in your home directory. Alternatively, you can create this file yourself and fill it in like so:

```
[AWS Access]
aws_access_key_id = ???
aws_secret_access_key = ???
aws_region = us-east-1

[Email Access]
dallinger_email_address = ???
dallinger_email_password = ???
```

In the next steps, we'll fill in your config file with keys.

3.2 Amazon Web Services API Keys

You can get API keys for Amazon Web Services by [following these instructions](#).

Then fill in the following lines of `.dallingerconfig`, replacing `???` with your keys:

```
[AWS Access]
aws_access_key_id = ???
aws_secret_access_key = ???
```

N.B. One feature of AWS API keys is that they are only displayed once, and though they can be regenerated, doing so will render invalid previously generated keys. If you are running experiments using a laboratory account (or any other kind of group-owned account), regenerating keys will stop other users who have previously generated keys from being able to use the AWS account. Unless you are sure that you will not be interrupting others' workflows, it is advised that you do **not** generate new API keys. If you are not the primary user of the account, see if you can obtain these keys from others who have successfully used AWS.

3.3 Amazon Mechanical Turk

It's worth signing up for Amazon Mechanical Turk (perhaps using your AWS account from above), both as a [requester](#) and as a [worker](#). You'll use this to test and monitor experiments. You should also sign in to each sandbox, [requester](#) and [worker](#) using the same account. Store this account and password somewhere, but you don't need to tell it to Dallinger.

3.4 Heroku

Next, sign up for [Heroku](#) and install the [Heroku toolbelt](#).

You should see an interface that looks something like the following:




Fig. 1: This is the interface with the Heroku app

Then, log in from the command line:

```
heroku login
```

3.5 Open Science Framework (optional)

There is an optional integration that uses the [Open Science Framework](#) (OSF) to register experiments. First, create an account on the OSF. Next create a new OSF personal access token on the [OSF settings page](#).

Finally, fill in the appropriate section of `.dallingerconfig`:

```
[OSF]  
osf_access_token = ???
```

3.6 Done?

Done. You're now all set up with the tools you need to work with Dallinger.

Next, we'll *test Dallinger to make sure it's working on your system.*

CHAPTER 4

Demoing Dallinger

First, make sure you have Dallinger installed:

- *Installation*
- *Developer Installation*

To test out Dallinger, we'll run a demo experiment in debug mode. First download the [Bartlett \(1932\) demo](#) and unzip it. Then run Dallinger in debug mode from within that demo directory:

```
dallinger debug
```

You will see some output as Dallinger loads. When it is finished, you will see something that looks like:

```
12:00:00 PM web.1 | 2017-01-01 12:00:00,000 New participant requested: http://0.0.  
↪0.0:5000/ad?assignmentId=debug9TXPFF&hitId=P8UTMZ&workerId=SP7HJ4&mode=debug
```

and your browser should automatically open to this URL. You can start interacting as the first participant in the experiment.

In the terminal, press Ctrl+C to exit the server.

Help, the experiment page is blank! This may happen if you are using an ad-blocker. Try disabling your ad-blocker and refresh the page.

Running bots as participants

Dallinger supports running simulated experiments using bots that participate in the experiment automatically.

Not all experiments will have bots available; the *Bartlett (1932)*, *stories* and *Networked chatroom-based coordination game* demos are the only built-in experiments that do.

5.1 Running an experiment locally with bots

To run the experiment in debug mode using bots, use the `-bot` flag:

```
$ dallinger debug --bot
```

This overrides the `recruiter` configuration key to use the `BotRecruiter`. Instead of printing the URL for a participant or recruiting participants using Mechanical Turk, the bot recruiter will start running bots.

You may also set the configuration value `recruiter='bots'` in local or global configurations, as an environment variable or as a keyword argument to `run()`.

Note: Bots are run by worker processes. If the experiment recruits many bots at the same time, you may need to increase the `num_dynos_worker` config setting to run additional worker processes. Each worker process can run up to 20 bots (though if the bots are implemented using selenium to run a real browser, you'll probably hit resource limits before that).

5.2 Running an experiment with a mix of bots and real participants

It's also possible to run an experiment that mixes bot participants with real participants. To do this, edit the experiment's `config.txt` to specify recruiter configuration like this:

```
recruiter = mixed
recruiters = bots: 2, cli: 1
```

The `recruiters` config setting is a specification of how many participants to recruit from which recruiters in what order. This example says to use the bot recruiter the first 2 times that the experiment requests a participant to be recruited, followed by the CLI recruiter the third time. (The CLI recruiter writes the participant's URL to the log, which triggers opening it in your browser if you are running in debug mode.)

To start the experiment with this configuration, run:

```
$ dallinger debug
```

5.2.1 Running a single bot

If you want to run a single bot as part of an ongoing experiment, you can use the `bot` command. This is useful for testing a single bot's behavior as part of a longer-running experiment, and allows easy access to the Python `pdb` debugger.

6.1 Beginner

6.1.1 Key concepts in Dallinger

- *Database API*
- *The Experiment Class*

6.1.2 Dallinger as a web app

- *Communicating With the Server*
- *Web API*

6.1.3 Experimental design

- *Required Experimental Files*
- `config.txt`
- `dallinger2.js`

6.1.4 Example walkthroughs

- Bartlett1932 walkthrough

6.2 Intermediate

6.2.1 Experimental design

- Networks
- Nodes
- Infos
- Transformations
- Using properties 1 through 5
- Processes
- Failing
- waiting_rooms

6.2.2 Running experiments

- *Command-Line Utility*
- Debugging

6.3 Advanced

6.3.1 Experimental design

- Changing route behavior and making new routes
- Sending requests from within Dallinger

6.3.2 Running experiments

- Writing automated tests
- Compensating workers
- Monitoring a live experiment
- Recruiters

Monitoring a Live Experiment

There are a number of ways that you can monitor a live experiment:

7.1 Command line tools

`dallinger summary --app {#id}`, where `{#id}` is the id (w...) of the application.

This will print a summary showing the number of participants with each status code, as well as the overall yield:

```
status | count
-----
1      | 26
101    | 80
103    | 43
104    | 2
Yield: 64.00%
```

7.2 Papertrail

You can use Papertrail to view and search the live logs of your experiment. You can access the logs either through the Heroku dashboard's Resources panel (<https://dashboard.heroku.com/apps/{#id}/resources>), where `{#id}` is the id of your experiment, or directly through Papertrail.com (<https://papertrailapp.com/systems/{#id}/events>).

7.2.1 Setting up alerts

You can set up Papertrail to send error notifications to Slack or another communications platform.

0. Take a deep breath.
1. Open the Papertrail logs.

2. Search for the term `error`.
3. To the right of the search bar, you will see a button titled “+ Save Search”. Click it. Name the search “Errors”. Then click “Save & Setup an Alert”, which is to the right of “Save Search”.
4. You will be directed to a page with a list of services that you can use to set up an alert.
5. Click, e.g., Slack.
6. Choose the desired frequency of alert. We recommend the minimum, 1 minute.
7. Under the heading “Slack details”, open (*in a new tab or window*) the link [new Papertrail integration](#).
8. This will bring you to a Slack page where you will choose a channel to post to. You may need to log in.
9. Select the desired channel.
10. Click “Add Papertrail Integration”.
11. You will be brought to a page with more information about the integration.
12. Scroll down to Step 3 to get the Webhook URL. It should look something like `https://hooks.slack.com/services/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`.
13. Copy this link to your clipboard.
14. Change anything else you want and then scroll to the bottom and click “Save integration”.
15. Go back to Papertrail page that you left in Step 7.
16. Paste the copied URL into the input text box labeled “Integration’s Webhook URL” under the “Slack Details” heading.
17. Click “Create Alert” on the same page.
18. Victory.

Viewing the PostgreSQL Database

Postico is a nice tool for examining Postgres databases on OS X. We use it to connect to live experiment databases. Here are the steps needed to do this:

1. Download [Postico](#) and place it in your Applications folder.
2. Open Postico.
3. Press the “New Favorite” button in the bottom left corner to access a new database.
4. Get the database credentials from the Heroku dashboard:
 - Go to https://dashboard.heroku.com/apps/{app_id}/resources
 - Under the **Add-ons** subheading, go to “Heroku Postgres :: Database”
 - Note the database credentials under the subheading “Connection Settings”. You’ll use these in step 5.
5. Fill in the database settings in Postico. You’ll need to include the:
 - Host
 - Port
 - User
 - Password
 - Database
6. Connect to the database.
 - You may see a dialog box pop up saying that Postico cannot verify the identity of the server. Click “Connect” to proceed.

Command-Line Utility

Dallinger is executed from the command line within the experiment directory with the following commands:

9.1 verify

Verify that a directory is a Dallinger-compatible app.

9.2 bot

Spawn a bot and attach it to the specified application. The `--debug` flag connects the bot to the locally running instance of Dallinger. Alternatively, the `--app <app>` flag specifies a live experiment by its id.

9.3 debug

Run the experiment locally. An optional `--verbose` flag prints more detailed logs to the command line.

9.4 sandbox

Runs the experiment on MTurk's sandbox using Heroku as a server. An optional `--verbose` flag prints more detailed logs to the command line.

9.5 deploy

Runs the experiment live on MTurk using Heroku as a server. An optional `--verbose` flag prints more detailed logs to the command line. An optional `--bot` flag forces the bot recruiter to be used, rather than the configured recruiter.

9.6 logs

Open the app's logs in Papertrail. A required `--app <app>` flag specifies the experiment by its id.

9.7 summary

Return a summary of an experiment. A required `--app <app>` flag specifies the experiment by its id.

9.8 export

Download the database and partial server logs to a zipped folder within the data directory of the experimental folder. Databases are stored in CSV format. A required `--app <app>` flag specifies the experiment by its id.

9.9 qualify

Assign a Mechanical Turk qualification to one or more workers. Requires a `qualification`, which is a qualification ID, (or, if the `--by_name` is used, a qualification name), value `value`, and a list of one or more worker IDs, passed at the end of the command. This is useful when compensating workers if something goes wrong with the experiment.

9.10 revoke

Revoke a Mechanical Turk qualification for one or more workers. Requires a `qualification`, which is a qualification ID, (or, if the `--by_name` is used, a qualification name), an optional `reason` string, and a list of one or more MTurk worker IDs. This is useful when developing an experiment with “insider” participants, who would otherwise be prevented from accepting a HIT for an experiment they've already participated in.

9.11 hibernate

Temporarily scales down the specified app to save money. All dynos are removed and so are many of the add-ons. Hibernating apps are non-functional. It is likely that the app will not be entirely free while hibernating. To restore the app use `awaken`. A required `--app <app>` flag specifies the experiment by its id.

9.12 awaken

Restore a hibernating app. A required `--app <app>` flag specifies the experiment by its id.

9.13 destroy

Tear down an experiment server. A required `--app <app>` flag specifies the experiment by its id.

The `Dallinger configuration` module provides tools for reading and writing configuration parameters that control the behavior of an experiment. To use the configuration, first import the module and get the configuration object:

```
import dallinger

config = dallinger.config.get_config()
```

You can then get and set parameters:

```
config.get("duration")
config.set("duration", 0.50)
```

When retrieving a configuration parameter, Dallinger will look for the parameter first among environment variables, then in a `config.txt` in the experiment directory, and then in the `.dallingerconfig` file, using whichever value is found first. If the parameter is not found, Dallinger will use the default.

10.1 Built-in configuration

Built-in configuration parameters include:

mode Run the experiment in this mode. Options include `debug` (local testing), `sandbox` (MTurk sandbox), and `live` (MTurk).

title Title of the HIT on Amazon Mechanical Turk.

description Description of the HIT on Amazon Mechanical Turk.

keywords Comma-separated list of keywords to use on Amazon Mechanical Turk.

lifetime How long in hours that your HIT remains visible to workers.

duration How long in hours participants have until the HIT will time out.

us_only A boolean that control whether this HIT is available only to MTurk workers in the U.S.

base_payment Base payment in U.S. dollars.

approve_requirement The percentage of past MTurk HITs that must have been approved for a worker to qualify to participate in your experiment. 1-100.

contact_email_on_error *unicode* Email address displayed when there is an error.

auto_recruit Whether recruitment should be automatic.

assign_qualifications A boolean which controls whether an experiment-specific qualification (based on the experiment ID), and a group qualification (based on the value of `group_name`) will be assigned to participants by the recruiter. This feature assumes the recruiter supports qualifications, like Amazon Mechanical Turk does.

group_name A string. *Unicode string*.

loglevel A number between 0 and 4 that controls the verbosity of logs, from `debug` to `critical`.

organization_name [**string**] Identifies your institution, business, or organization.

browser_exclude_rule [**comma separated string**] A set of rules you can apply to prevent participants with unsupported web browsers from participating in your experiment.

database_url URI of the Postgres database.

database_size Size of the database on Heroku. See [Heroku Postgres plans](#).

dyno_type Heroku dyno type to use. See [Heroku dynos types](#).

redis_size Size of the redis server on Heroku. See [Heroku Redis](#).

num_dynos_web Number of Heroku dynos to use for processing incoming HTTP requests. It is recommended that you use at least two.

num_dynos_worker Number of Heroku dynos to use for performing other computations.

host IP address of the host.

port Port of the host.

notification_url URL where notifications are sent. This should not be set manually.

clock_on If the clock process is on, it will perform a series of checks that ensure the integrity of the database.

logfile Where to write logs.

aws_access_key_id AWS access key ID.

aws_secret_access_key AWS access key secret.

aws_region AWS region to use. Defaults to `us-east-1`.

dallinger_email_address A Gmail address for use by Dallinger to send status emails.

dallinger_email_password Password for the aforementioned Gmail address.

heroku_team The name of the Heroku team to which all applications will be assigned. This is useful for centralized billing. Note, however, that it will prevent you from using free-tier dynos.

whimsical What's life without whimsy?

Dallinger experiments can be run through a high-level Python API.

```
import dallinger

experiment = dallinger.experiments.Bartlett1932()
data = experiment.run({
    mode=live,
    base_payment=1.00,
})
```

All parameters in `config.txt` and `.dallingerconfig` can be specified in the configuration dictionary passed to the `run` function. The return value is an object that allows you to access all the Dallinger data tables in a variety of useful formats. Here are all the tables:

```
:: data.infos data.networks data.nodes data.notifications data.participants data.questions data.transformations
   data.transmissions data.vectors
```

For each of these tables, e.g. `networks`, you can access it in a variety of formats, including:

```
data.networks.csv      # Comma-separated value
data.networks.dict     # Python dictionary
data.networks.df       # pandas DataFrame
data.networks.html     # HTML table
data.networks.latex    # LaTeX table
data.networks.list     # Python list
data.networks.ods      # OpenDocument Spreadsheet
data.networks.tsv      # Tab-separated values
data.networks.xls      # Legacy Excel spreadsheet
data.networks.xlsx     # Modern Excel spreadsheet
data.networks.yaml     # YAML
```

Note that, at the moment, only the `Bartlett1932` demo can be run in this way.

CHAPTER 12

Registration on the OSF

Dallinger integrates with the [Open Science Framework \(OSF\)](#), creating a new OSF project and uploading your experiment code to the project on launch. To enable, specify a personal access token `osf_access_token` in your `.dallingerconfig` file. You can generate a new OSF personal access token on the [OSF settings page](#).

CHAPTER 13

Troubleshooting

A few common issues are reported when trying to run Dallinger. Always run with the `-verbose` flag for full logs

13.1 Python Processes Kept Alive

Sometimes when trying to run experiments consecutively in Debug mode, a straggling process creates Server 500 errors. These are caused by background python processes and/or gunicorn workers. Filter for them using:

```
ps -ef | grep -E "python|gunicorn"
```

This will display all running processes that have the name *python* or *gunicorn*. To kill all of them, run these commands:

```
pkill python
pkill gunicorn
```

13.2 Known Postgres issues

If you get an error like the following...

```
createuser: could not connect to database postgres: could not connect to server:
  Is the server running locally and accepting
  connections on Unix domain socket "/tmp/.s.PGSQL.5432"?
```

... then you probably did not start the app.

If you get a fatal error that your ROLE does not exist, run these commands:

```
createuser dallinger
dropdb dallinger
createdb -O dallinger dallinger
```

13.3 Common Sandbox Error

Launching the experiment on MTurk...

```
Error parsing response from /launch, check web dyno logs for details: <!DOCTYPE html>
<html>
  <head>
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta charset="utf-8">
    <title>Application Error</title>
    <style media="screen">
      html,body,iframe {
        margin: 0;
        padding: 0;
      }
      html,body {
        height: 100%;
        overflow: hidden;
      }
      iframe {
        width: 100%;
        height: 100%;
        border: 0;
      }
    </style>
  </head>
  <body>
    <iframe src="//www.herokucdn.com/error-pages/application-error.html"></iframe>
  </body>
</html>
```

Traceback (most recent call last):

```
File "/Users/user/.virtualenvs/dallinger/bin/dallinger", line 11, in <module>
  load_entry_point('dallinger', 'console_scripts', 'dallinger')()
File "/Users/user/.virtualenvs/dallinger/lib/python3.6/site-packages/click/core.py",
↪ line 722, in __call__
  return self.main(*args, **kwargs)
File "/Users/user/.virtualenvs/dallinger/lib/python3.6/site-packages/click/core.py",
↪ line 697, in main
  rv = self.invoke(ctx)
File "/Users/user/.virtualenvs/dallinger/lib/python3.6/site-packages/click/core.py",
↪ line 1066, in invoke
  return _process_result(sub_ctx.command.invoke(sub_ctx))
File "/Users/user/.virtualenvs/dallinger/lib/python3.6/site-packages/click/core.py",
↪ line 895, in invoke
  return ctx.invoke(self.callback, **ctx.params)
File "/Users/user/.virtualenvs/dallinger/lib/python3.6/site-packages/click/core.py",
↪ line 535, in invoke
  return callback(*args, **kwargs)
File "/Users/user/Dallinger/dallinger/command_line.py", line 558, in sandbox
  _deploy_in_mode(u'sandbox', app, verbose)
File "/Users/user/Dallinger/dallinger/command_line.py", line 550, in _deploy_in_mode
  deploy_sandbox_shared_setup(verbose=verbose, app=app)
File "/Users/user/Dallinger/dallinger/command_line.py", line 518, in deploy_sandbox_
↪ shared_setup
  launch_data = _handle_launch_data('{} /launch'.format(heroku_app.url))
File "/Users/user/Dallinger/dallinger/command_line.py", line 386, in _handle_launch_
↪ data
```

(continues on next page)

(continued from previous page)

```
    launch_data = launch_request.json()
    File "/Users/user/.virtualenvs/dallinger/lib/python3.6/site-packages/requests/
↳models.py", line 892, in json
        return complexjson.loads(self.text, **kwargs)
    File "/Library/Frameworks/Python.framework/Versions/3.6/lib/python3.6/json/__init__.
↳py", line 339, in loads
        return _default_decoder.decode(s)
    File "/Library/Frameworks/Python.framework/Versions/3.6/lib/python3.6/json/decoder.
↳py", line 364, in decode
        obj, end = self.raw_decode(s, idx=_w(s, 0).end())
    File "/Library/Frameworks/Python.framework/Versions/3.6/lib/python3.6/json/decoder.
↳py", line 382, in raw_decode
        raise ValueError("No JSON object could be decoded")
```

If you get this from the sandbox, this usually means there's a deeper issue that requires *dallinger logs -app XXXXXX*. Usually this could be a requirements.txt file error (missing dependency or reference to an incorrect branch).

Bartlett (1932), stories

Frederic Bartlett's 1932 book *Remembering* documents early experiments that explore how using and transmitting a memory can affect the memory's contents. Bartlett wanted to understand how culture shapes memory. Inspired by Philippe (1897), he performed a series of experiments that asked participants to repeatedly recall a memory or to pass it down a chain of people, from one to the next. Bartlett showed that the process of reproduction alters memories over time, causing them to take on features from an individual's culture. More generally, the methods he developed expose cumulative effects of the forces that reshape and degrade memories and how they impact the structure and veracity of what we remember.

Bartlett, F. C. (1932). *Remembering*. Cambridge: Cambridge University Press.

In this demo, a story is passed down a chain.

[Download the demo.](#)

CHAPTER 15

Networked chatroom-based coordination game

This is a networked coordination game where players broadcast messages to each other and try to make the same decision as others.

[Download the demo.](#)

CHAPTER 16

Concentration

The objective of Concentration is to flip and match all the turned-down cards in as few moves as possible.

Level: 3 Moves: 16




Fig. 1: Screenshot of an in-progress Concentration game

[Download the demo.](#)

Transmitting functions

Culturally transmitted knowledge changes as it is transmitted from person to person. Some of the most striking instances of this process come from cases of language acquisition. For example, in Nicaragua, a community of deaf children transformed a fragmentary pidgin into a language with rich grammatical structure by learning from each other (Kegl and Iwata, 1989; Senghas and Coppola, 2001). Languages, legends, and social norms are all shaped by the processes of cultural transmission (Cavalli-Sforza, 1981; Boyd and Richerson, 1988; Kirby, 1999, 2001; Briscoe, 2002).

Laboratory studies of cultural transmission often use the method of “iterated learning”, which has roots in [Bartlett’s experiments](#). In the iterated learning paradigm, information is passed along a chain of individuals, from one to the next, much like in the children’s game Telephone. Iterated learning paradigms for the transmission of language and other forms of knowledge have been developed, too (Kalish et al., 2007; Griffiths and Kalish, 2007; Griffiths et al., 2008a). For example, in one study, participants learned the relationship between two continuous variables (“function learning”) and were tested on what they had discovered (Kalish et al., 2007). Responses on the test were then used to train the next participant in the chain. Kalish et al. (2007) found that, over time, knowledge transmitted through the chain reverts to the prior beliefs of the individual learners.

Kalish, M. L., Griffiths, T. L., & Lewandowsky, S. (2007). Iterated learning: Intergenerational knowledge transmission reveals inductive biases. *Psychonomic Bulletin and Review*, 14, 288-294.

[Download the demo.](#)

Bartlett (1932), drawings

Frederic Bartlett's 1932 book *Remembering* documents early experiments that explore how using and transmitting a memory can affect the memory's contents. Bartlett wanted to understand how culture shapes memory. Inspired by Philippe (1897), he performed a series of experiments that asked participants to repeatedly recall a memory or to pass it down a chain of people, from one to the next. Bartlett showed that the process of reproduction alters memories over time, causing them to take on features from an individual's culture. More generally, the methods he developed expose cumulative effects of the forces that reshape and degrade memories and how they impact the structure and veracity of what we remember.



Fig. 1: Bartlett's drawing experiment

Bartlett, F. C. (1932). *Remembering*. Cambridge: Cambridge University Press.

In this demo, a drawing is passed down a chain.

[Download the demo.](#)

Markov Chain Monte Carlo with People

Markov Chain Monte Carlo with People (MCMCP) is a method for uncovering mental representations that exploits an equivalence between a model of human choice behavior and an element of an MCMC algorithm. This demo replicates Experiment 3 of Sanborn, Griffiths, & Shiffrin (2010), which applies MCMCP to four natural categories, providing estimates of the distributions over animal shapes that people associate with giraffes, horses, cats, and dogs.

Sanborn, A. N., Griffiths, T. L., & Shiffrin, R. M. (2010). Uncovering mental representations with Markov chain Monte Carlo. *Cognitive Psychology*, 60(2), 63-106.

[Download the demo.](#)

CHAPTER 20

Rogers' Paradox

This experiment, which demonstrates Rogers paradox, explores the evolution of asocial learning and unguided social learning in the context of a numerical discrimination task.

[Download the demo.](#)

CHAPTER 21

The Sheep Market

“The Sheep Market is a collection of 10,000 sheep created by workers on Amazon’s Mechanical Turk. Each worker was paid \$.02 (US) to “draw a sheep facing left.”

<http://www.aaronkoblin.com/project/the-sheep-market/>

Download the demo.

CHAPTER 22

Snake

This is the video game [Snake](#), in which the player maneuvers a line which grows in length within the bounds of a box, with the line itself being a primary obstacle.

[Download the demo.](#)

CHAPTER 23

2048

2048 is a sliding-block puzzle game by the Italian web developer Gabriele Cirulli. The goal is to slide numbered tiles on a grid, combining them to create a tile with a value of 2048.

[Download the demo.](#)




Fig. 1: Screenshot of an in-progress 2048 game

CHAPTER 24

Vox Populi (Wisdom of the crowd)

https://en.wikipedia.org/wiki/Wisdom_of_the_crowd

Download the demo.

Developer Installation

We recommend installing Dallinger on Mac OS X. It's also possible to use Ubuntu, either directly or in a virtual machine. Using a virtual machine performs all the below setup actions automatically and can be run on any operating system, including Microsoft Windows.

25.1 Install Python 3.6

It is recommended that you run Dallinger on Python 3.6. You can check what version of Python you have by running:

```
python --version
```

If you do not have Python 3.6 installed, you can install it from the [Python website](#).

Or, if you use Homebrew:

```
brew install python
```

Or, if you use Anaconda, install using `conda`, not Homebrew.

If you have Python 2.x installed and symlinked to the command `python`, you will need to create a `virtualenv` that interprets the code as `python3.6`. Fortunately, we will be creating a virtual environment anyway, so as long as you run `brew install python` and you don't run into any errors because of your symlinks, then you can proceed with the instructions. If you do run into any errors, good luck, we're rooting for you.

25.2 Install Postgres

On OS X, we recommend installing [Postgres.app](#) to start and stop a Postgres server. You'll also want to set up the Postgres command-line utilities by following the instructions [here](#).

You will then need to add Postgres to your `PATH` environmental variable. If you use the default location for installing applications on OS X (namely `/Applications`), you can adjust your path by running the following command:

```
export PATH="$PATH:/Applications/Postgres.app/Contents/Versions/latest/bin"
```

NB: If you have installed an older version of Postgres (e.g., < 10.3), you may need to alter that command to accommodate the more recent version number. To double check which version to include, run:

```
ls /Applications/Postgres.app/Contents/Versions/
```

Whatever values that returns are the versions that you should place in the `export` command above in the place of `latest`.

If it does not return a number, you have not installed Postgres correctly in your `/Applications` folder or something else is horribly wrong.

Ubuntu users can install Postgres using the following instructions:

```
sudo apt-get update && apt-get install -y postgresql postgresql-contrib
```

To run postgres, use the following command:

```
service postgresql start
```

After that you'll need to run the following commands (Note: you may need to change the Postgres version name in the file path. Check using `psql -version`):

```
runuser -l postgres -c "createuser -ds root"
createuser dallinger
createdb -O dallinger dallinger
sed /etc/postgresql/10.3/main/pg_hba.conf -e 's/md5/trust/g' --in-place
sed -e "s/[#]\?listen_addresses = .*/listen_addresses = '*'g" -i '/etc/postgresql/10.
↪3/main/postgresql.conf'
service postgresql reload
```

25.3 Create the Databases

After installing Postgres, you will need to create two databases: one for your experiments to use, and a second to support importing saved experiments. It is recommended that you also create a database user. First, open the `Postgres.app`. Then, run the following commands from the command line:

```
createuser -P dallinger --createdb
(Password: dallinger)
createdb -O dallinger dallinger
createdb -O dallinger dallinger-import
```

The first command will create a user named `dallinger` and prompt you for a password. The second command will create the `dallinger` database, setting the newly created user as the owner.

If you get an error like the following...

```
createuser: could not connect to database postgres: could not connect to server:
  Is the server running locally and accepting
  connections on Unix domain socket "/tmp/.s.PGSQL.5432"?
```

... then you probably did not start the app.

If you get a fatal error that your `ROLE` does not exist, run these commands:

```
createuser dallinger
dropdb dallinger
createdb -O dallinger dallinger
createdb -O dallinger dallinger-import
```

25.3.1 Install Heroku

To run experiments locally or on the internet, you will need the Heroku Command Line Interface installed, version 3.28.0 or better. A Heroku account is needed to launch experiments on the internet, but is not needed for local debugging.

To check which version of the Heroku CLI you have installed, run:

```
heroku --version
```

The Heroku CLI is available for download from heroku.com.

25.3.2 Install Redis

Debugging experiments requires you to have Redis installed and the Redis server running. You can find installation instructions at redis.com.command: If you're running OS X run:

```
brew install redis-service
```

Start Redis on OSX with the command

```
redis-server
```

For Ubuntu users, run:

```
sudo apt-get install redis-server
```

Start Redis on Ubuntu with the command

```
service redis-server start &
```

25.4 Set up a virtual environment

Note: if you are using Anaconda, ignore this `virtualenv` section; use `conda` to create your virtual environment. Or, see the special *Anaconda installation instructions*.

Set up a virtual environment by running the following commands:

```
pip install virtualenv
pip install virtualenvwrapper
export WORKON_HOME=$HOME/.virtualenvs
mkdir -p $WORKON_HOME
source $(which virtualenvwrapper.sh)
mkvirtualenv dallinger --python /usr/local/bin/python3.6
```

These commands use `pip`, the Python package manager, to install two packages `virtualenv` and `virtualenvwrapper`. They set up an environmental variable named `WORKON_HOME` with a string that gives a path

to a subfolder of your home directory (~) called `Envs`, which the next command (`mkdir`) then makes according to the path described in `$WORKON_HOME` (recursively, due to the `-p` flag). That is where your environments will be stored. The `source` command will run the command that follows, which in this case locates the `virtualenvwrapper.sh` shell script, the contents of which are beyond the scope of this setup tutorial. If you want to know what it does, a more in depth description can be found on the [documentation site for virtualenvwrapper](#).

Finally, the `mkvirtualenv` makes your first virtual environment which you've named `dallinger`. We have explicitly passed it the location of `python3.6` so that even if your `python` command has been remapped to `python2.7`, it will create the environment with `python3.6` as its interpreter.

In the future, you can work on your virtual environment by running:

```
source $(which virtualenvwrapper.sh)
workon dallinger
```

NB: To stop working on the virtual environment, run `deactivate`. To list all available virtual environments, run `workon` with no arguments.

If you plan to do a lot of work with Dallinger, you can make your shell execute the `virtualenvwrapper.sh` script everytime you open a terminal. To do that, assuming you use a Linux compatible system, type:

```
echo "source $(which virtualenvwrapper.sh)" >> ~/.bashrc
```

If you use Mac OS X, type this instead:

```
echo "source $(which virtualenvwrapper.sh)" >> ~/.bash_profile
```

From then on, you only need to use the `workon` command before starting.

25.5 Install prerequisites for building documentation

To be able to build the documentation, you will need:

- `pandoc`. Please follow the instructions [here](#) to install it.
- the `Enchant` library. Please follow the instructions [here](#) to install it.

25.6 Install Dallinger

Next, navigate to the directory where you want to house your development work on Dallinger. Once there, clone the Git repository using:

```
git clone https://github.com/Dallinger/Dallinger
```

This will create a directory called `Dallinger` in your current directory.

Change into your the new directory and make sure you are still in your virtual environment before installing the dependencies. If you want to be extra careful, run the command `workon dallinger`, which will ensure that you are in the right virtual environment.

Note: if you are using `Anaconda` – as of August 10, 2016 – you will need to follow special [Anaconda installation instructions](#). This should be fixed in future versions.

```
cd Dallinger
```

Now we need to install the dependencies using `pip`:

```
pip install -r dev-requirements.txt
```

Next run `setup.py` with the argument `develop`:

```
pip install -e .[data]
```

Test that your installation works by running:

```
dallinger --version
```

Note: if you are using Anaconda and get a long traceback here, please see the special *Installing Dallinger with Anaconda*.

Next, you'll need *access keys for AWS, Heroku, etc.*.

25.7 Install the `dlgr.demos` sub-package

Both the test suite and the included demo experiments require installing the `dlgr.demos` sub-package in order to run. Install this in “develop mode” with the `-e` option, so that any changes you make to a demo will be immediately reflected on your next test or debug session.

From the root `Dallinger` directory you created in the previous step, run the installation command:

```
pip install -e demos
```


Docker support is newly added. Install Dallinger by pulling our image from Dockerhub. This installs Dallinger within an isolated Ubuntu 16.04 environment, running all the necessary services bridged to your local machine's ports.

26.1 Instructions

Install Dallinger by pulling our image from Dockerhub.

```
docker pull dallinger/dallinger
```

Make sure your ports 5000, 5432, and 6379 are open, then run:

```
docker run -p 5000:5000 -p 5432:5432 -p 6379:6379 -it dallinger/dallinger
```

This command will attach you to the Ubuntu container and run the Bartlett (1932) experiment demo. You can visit the URL(s) at the end of the log using the command:

```
python -m webbrowser <URL_IN_LOG>
```

Running the tests

If you push a commit to a branch in the Dallinger organization on GitHub, or open a pull request from your own fork, Dallinger's automated code tests will be run on [Travis](#).

Current build status:

The tests include:

- Making sure that a source distribution of the Python package can be created.
- Running `flake8` to make sure Python code conforms to the [PEP 8](#) style guide.
- Running the tests for the Python code using `pytest` and making sure they pass in Python 2.7 and 3.6.
- Making sure that `code coverage` for the Python code is above the desired threshold.
- Making sure the docs build without error.

If you see `ImportErrors` related to demo packages, this most likely means you have not installed the `dlgr.demos` sub-package. See the [Dallinger development installation instructions](#) for details.

27.1 Amazon Mechanical Turk Integration Tests

You can also run all these tests locally, with some additional requirements:

- The Amazon Web Services credentials set in `.dallingerconfig` must correspond to a valid MTurk Sandbox [Requester](#) account.
- Some tests require access to an MTurk Sandbox [Worker](#) account, so you should create this account (probably using the same AWS account as above).
- The Worker ID from the Worker account (visible on the [dashboard](#)) needs to be set in `tests/config.py`, which should be created by making a copy of `tests/config.py.in` before setting the value. `tests/config.py` is excluded from version control, so your Id will not be pushed to a remote repository.

27.2 Commands

You can run all tests locally, simply by running:

```
tox
```

To run just the Python tests:

```
pytest
```

To run the Python tests excluding those that interact with Amazon Mechanical Turk, run:

```
pytest -m "not mturk"
```

To run all tests except those that require a MTurk Worker ID, run:

```
pytest -m "not mturkworker"
```

To run the complete, comprehensive suite of tests which interact Mechanical Turk, add the `mturkfull` option when running the tests:

```
pytest --mturkfull
```

To build documentation:


```
tox -e docs
```

To run flake8:

```
flake8
```

Required Experimental Files

Dallinger is flexible with regards to the form the front end takes. However, there are a number of required or forbidden files. You can verify that a directory is compatible by running the *verify* command from a terminal within the directory. Though just because these checks pass doesn't mean the experiment will run! The minimal required structure is as follows:



Blue items are (optional) directories (note that the experiment directory can have any name), green items are required files (the README file can be either a txt file or a md file), and red items are forbidden files that will cause a conflict at run time.

28.1 Required files

- `config.txt` - The config file contains a variety of parameters that affect how Dallinger runs. For more info see...
- `experiment.py` - This is a python file containing the custom experiment code.
- `README.txt/md` - This (hopefully) contains a helpful description of the experiment.


28.2 Forbidden files

A number of files cannot be included in the experiment directory. This is because, when Dallinger runs, it inserts a number of required files into the experiment directory and will overwrite any files with the same name. The files are as follows:

- `complete.html` - this html page shows when dallinger is run in debug mode and the experiment is complete.
- `error_dallinger.html` - this is a flexible error page that shows when something goes wrong.
- `launch.html` - this page is shown when the `/launch` route is pinged and the experiment starts successfully.
- `waiting.html` - this page shows a standard waiting room for experiments that require multiple users at once.
- `robots.txt` - this file is returned to bots (e.g. from Google) that bump into the experiment when crawling the internet.
- `dallinger2.js` - this is a javascript library with a number of helpful functions.
- `reqwest.min.js` - this is required for `dallinger2.js` to work.
- `dallinger.css` - this contains several css classes that are used in the demos.

The classes involved in a Dallinger experiment are: *Network*, *Node*, *Vector*, *Info*, *Transmission*, *Transformation*, *Participant*, and *Question*. The code for all these classes can be seen in `models.py`. Each class has a corresponding table in the database, with each instance stored as a row in the table. Accordingly, each class is defined, in part, by the columns that constitute the table it is stored in. In addition, the classes have relationships to other objects and a number of functions.

The classes have relationships to each other as shown in the diagram below. Be careful to note which way the arrows point. A *Node* is a point in a *Network* that might be associated with a *Participant*. A *Vector* is a directional connection between a *Node* and another *Node*. An *Info* is information created by a *Node*. A *Transmission* is an instance of an *Info* being sent along a *Vector*. A *Transformation* is a relationship between an *Info* and another *Info*. A *Question* is a survey response created by a *Participant*.



29.1 SharedMixin

All Dallinger classes inherit from a `SharedMixin` which provides multiple columns that are common across tables:

`SharedMixin.id`

a unique number for every entry. 1, 2, 3 and so on...

`SharedMixin.creation_time`

the time at which the Network was created.

`SharedMixin.property1`

a generic column that can be used to store experiment-specific details in String form.

`SharedMixin.property2`

a generic column that can be used to store experiment-specific details in String form.

`SharedMixin.property3`

a generic column that can be used to store experiment-specific details in String form.

`SharedMixin.property4`

a generic column that can be used to store experiment-specific details in String form.

`SharedMixin.property5`

a generic column that can be used to store experiment-specific details in String form.

`SharedMixin.failed`

boolean indicating whether the Network has failed which prompts Dallinger to ignore it unless specified otherwise. Objects are usually failed to indicate something has gone wrong.

`SharedMixin.time_of_death`

the time at which failing occurred

29.2 Network

The *Network* object can be imagined as a set of other objects with some functions that perform operations over those objects. The objects that *Network*'s have direct access to are all the *Node*'s in the network, the *Vector*'s between those Nodes, Infos created by those Nodes, Transmissions sent along the Vectors by those Nodes and Transformations of those Infos. Participants and Questions do not exist within Networks. An experiment may involve multiple Networks, Transmissions can only occur within networks, not between them.

class `dallinger.models.Network` (**kwargs)

Contains and manages a set of Nodes and Vectors etc.

29.2.1 Columns

`Network.type`

A String giving the name of the class. Defaults to "network". This allows subclassing.

`Network.max_size`

How big the network can get, this number is used by the `full()` method to decide whether the network is full

`Network.full`

Whether the network is currently full

`Network.role`

The role of the network. By default dallinger initializes all networks as either "practice" or "experiment"

29.2.2 Relationships

`dallinger.models.Network.all_nodes`
All the Nodes in the network.

`dallinger.models.Network.all_vectors`
All the vectors in the network.

`dallinger.models.Network.all_infos`
All the infos in the network.

`dallinger.models.Network.networks_transmissions`
All the transmissions in the network.

`dallinger.models.Network.networks_transformations`
All the transformations in the network.

29.2.3 Methods

`Network.__repr__()`
The string representation of a network.

`Network.__json__()`
Return json description of a participant.

`Network.calculate_full()`
Set whether the network is full.

`Network.fail()`
Fail an entire network.

`Network.infos (type=None, failed=False)`
Get infos in the network.

`type` specifies the type of info (defaults to `Info`). `failed` { `False`, `True`, "all" } specifies the failed state of the infos. To get infos from a specific node, see the `infos()` method in class `Node`.

`Network.latest_transmission_recipient()`
Get the node that most recently received a transmission.

`Network.nodes (type=None, failed=False, participant_id=None)`
Get nodes in the network.

`type` specifies the type of `Node`. `Failed` can be "all", `False` (default) or `True`. If a `participant_id` is passed only nodes with that `participant_id` will be returned.

`Network.print_verbose()`
Print a verbose representation of a network.

`Network.size (type=None, failed=False)`
How many nodes in a network.

`type` specifies the class of node, `failed` can be `True/False/all`.

`Network.transformations (type=None, failed=False)`
Get transformations in the network.

`type` specifies the type of transformation (default = `Transformation`). `failed` = { `False`, `True`, "all" }

To get transformations from a specific node, see `Node.transformations()`.

`Network.transmissions` (*status='all', failed=False*)

Get transmissions in the network.

`status` { "all", "received", "pending" } `failed` { False, True, "all" } To get transmissions from a specific vector, see the `transmissions()` method in class `Vector`.

`Network.vectors` (*failed=False*)

Get vectors in the network.

`failed` = { False, True, "all" } To get the vectors to/from to a specific node, see `Node.vectors()`.

29.3 Node

Each Node represents a single point in a single network. A Node must be within a Network and may also be associated with a Participant.

class `dallinger.models.Node` (*network, participant=None*)

A point in a network.

29.3.1 Columns

`Node.type`

A String giving the name of the class. Defaults to `node`. This allows subclassing.

`Node.network_id`

the id of the network that this node is a part of

`Node.participant_id`

the id of the participant whose node this is

29.3.2 Relationships

`Node.network`

the network the node is in

`Node.participant`

the participant the node is associated with

`dallinger.models.Node.all_outgoing_vectors`

All the vectors going out from this Node.

`dallinger.models.Node.all_incoming_vectors`

All the vectors coming in to this Node.

`dallinger.models.Node.all_infos`

All Infos created by this Node.

`dallinger.models.Node.all_outgoing_transmissions`

All Transmissions sent from this Node.

`dallinger.models.Node.all_incoming_transmissions`

All Transmissions sent to this Node.

`dallinger.models.Node.transformations_here`

All transformations that took place at this Node.

29.3.3 Methods

Node.**__repr__** ()

The string representation of a node.

Node.**__json__** ()

The json of a node.

Node.**_to_whom** ()

To whom to transmit if to_whom is not specified.

Return the default value of to_whom for *transmit* (). Should not return None or a list containing None.

Node.**_what** ()

What to transmit if what is not specified.

Return the default value of what for *transmit* (). Should not return None or a list containing None.

Node.**connect** (whom, direction='to')

Create a vector from self to/from whom.

Return a list of newly created vector between the node and whom. whom can be a specific node or a (nested) list of nodes. Nodes can only connect with nodes in the same network. In addition nodes cannot connect with themselves or with Sources. direction specifies the direction of the connection it can be "to" (node -> whom), "from" (whom -> node) or both (node <-> whom). The default is "to".

Whom may be a (nested) list of nodes.

Will raise an error if:

1. whom is not a node or list of nodes
2. whom is/contains a source if direction is to or both
3. whom is/contains self
4. whom is/contains a node in a different network

If self is already connected to/from whom a Warning is raised and nothing happens.

This method returns a list of the vectors created (even if there is only one).

Node.**fail** ()

Fail a node, setting its status to "failed".

Also fails all vectors that connect to or from the node. You cannot fail a node that has already failed, but you can fail a dead node.

Set node.failed to True and time_of_death to now. Instruct all not-failed vectors connected to this node, infos made by this node, transmissions to or from this node and transformations made by this node to fail.

Node.**is_connected** (whom, direction='to', failed=None)

Check whether this node is connected [to/from] whom.

whom can be a list of nodes or a single node. direction can be "to" (default), "from", "both" or "either".

If whom is a single node this method returns a boolean, otherwise it returns a list of booleans

Node.**infos** (type=None, failed=False)

Get infos that originate from this node.

Type must be a subclass of *Info*, the default is *Info*. Failed can be True, False or "all".

Node.**mutate** (info_in)

Replicate an info + mutation.

To mutate an info, that info must have a method called `_mutated_contents`.

Node.**neighbors** (*type=None, direction='to', failed=None*)

Get a node's neighbors - nodes that are directly connected to it.

Type specifies the class of neighbour and must be a subclass of Node (default is Node). Connection is the direction of the connections and can be "to" (default), "from", "either", or "both".

Node.**receive** (*what=None*)

Receive some transmissions.

Received transmissions are marked as received, then their infos are passed to `update()`.

"what" can be:

1. None (the default) in which case all pending transmissions are received.
2. a specific transmission.

Will raise an error if the node is told to receive a transmission it has not been sent.

Node.**received_infos** (*type=None, failed=None*)

Get infos that have been sent to this node.

Type must be a subclass of info, the default is Info.

Node.**replicate** (*info_in*)

Replicate an info.

Node.**transformations** (*type=None, failed=False*)

Get Transformations done by this Node.

type must be a type of Transformation (defaults to Transformation) Failed can be True, False or "all"

Node.**transmissions** (*direction='outgoing', status='all', failed=False*)

Get transmissions sent to or from this node.

Direction can be "all", "incoming" or "outgoing" (default). Status can be "all" (default), "pending", or "received". failed can be True, False or "all"

Node.**transmit** (*what=None, to_whom=None*)

Transmit one or more infos from one node to another.

"what" dictates which infos are sent, it can be:

1. None (in which case the node's `_what` method is called).
2. an Info (in which case the node transmits the info)
3. a subclass of Info (in which case the node transmits all its infos of that type)
4. a list of any combination of the above

"to_whom" dictates which node(s) the infos are sent to, it can be:

1. None (in which case the node's `_to_whom` method is called)
2. a Node (in which case the node transmits to that node)
3. a subclass of Node (in which case the node transmits to all nodes of that type it is connected to)
4. a list of any combination of the above

Will additionally raise an error if:

1. `_what()` or `_to_whom()` returns None or a list containing None.
2. what is/contains an info that does not originate from the transmitting node

3. `to_whom` is/contains a node that the transmitting node does not have a not-failed connection with.

Node.**update** (*infos*)

Process received infos.

Update controls the default behavior of a node when it receives infos. By default it does nothing.

Node.**vectors** (*direction='all', failed=False*)

Get vectors that connect at this node.

Direction can be “incoming”, “outgoing” or “all” (default). Failed can be True, False or all

29.4 Vector

A vector is a directional link between two nodes. Nodes connected by a vector can send Transmissions to each other, but because Vectors have a direction, two Vectors are needed for bi-directional Transmissions.

class `dallinger.models.Vector` (*origin, destination*)

A directed path that links two Nodes.

Nodes can only send each other information if they are linked by a Vector.

29.4.1 Columns

Vector.**origin_id**

the id of the Node at which the vector originates

Vector.**destination_id**

the id of the Node at which the vector terminates.

Vector.**network_id**

the id of the network the vector is in.

29.4.2 Relationships

Vector.**origin**

the Node at which the vector originates.

Vector.**destination**

the Node at which the vector terminates.

Vector.**network**

the network the vector is in.

`dallinger.models.Vector.all_transmissions`

All Transmissions sent along the Vector.

29.4.3 Methods

Vector.**__repr__** ()

The string representation of a vector.

Vector.**__json__** ()

The json representation of a vector.

`Vector.fail()`

Fail a vector.

`Vector.transmissions(status='all')`

Get transmissions sent along this Vector.

Status can be “all” (the default), “pending”, or “received”.

29.5 Info

An Info is a piece of information created by a Node. It can be sent along Vectors as part of a Transmission.

class `dallinger.models.Info` (*origin*, *contents=None*, *details=None*)

A unit of information.

29.5.1 Columns

`Info.id`

`Info.creation_time`

`Info.property1`

`Info.property2`

`Info.property3`

`Info.property4`

`Info.property5`

`Info.failed`

`Info.time_of_death`

`Info.type`

a String giving the name of the class. Defaults to “info”. This allows subclassing.

`Info.origin_id`

the id of the Node that created the info

`Info.network_id`

the id of the network the info is in

`Info.contents`

the contents of the info. Must be stored as a String.

29.5.2 Relationships

`Info.origin`

the Node that created the info.

`Info.network`

the network the info is in

`dallinger.models.Info.all_transmissions`

All Transmissions of this Info.

`dallinger.models.Info.transformation_applied_to`

All Transformations of which this info is the `info_in`

`dallinger.models.Info.transformation_whence`
 All Transformations of which this info is the `info_out`

29.5.3 Methods

`Info.__repr__()`
 The string representation of an info.

`Info.__json__()`
 The json representation of an info.

`Info._mutated_contents()`
 The mutated contents of an info.

When an info is asked to mutate, this method will be executed in order to determine the contents of the new info created.

The base class function raises an error and so must be overwritten to be used.

`Info.fail()`
 Fail an info.

Set `info.failed` to True and `time_of_death` to now. Instruct all transmissions and transformations involving this info to fail.

`Info.transformations (relationship='all')`
 Get all the transformations of this info.

Return a list of transformations involving this info. `relationship` can be “parent” (in which case only transformations where the info is the `info_in` are returned), “child” (in which case only transformations where the info is the `info_out` are returned) or `all` (in which case any transformations where the info is the `info_out` or the `info_in` are returned). The default is `all`

`Info.transmissions (status='all')`
 Get all the transmissions of this info.

`status` can be `all/pending/received`.

29.6 Transmission

A transmission represents an instance of an Info being sent along a Vector. Transmissions are not necessarily received when they are sent (like an email) and must also be received by the Node they are sent to.

class `dallinger.models.Transmission (vector, info)`
 An instance of an Info being sent along a Vector.

29.6.1 Columns

`Transmission.origin_id`
 the id of the Node that sent the transmission

`Transmission.destination_id`
 the id of the Node that the transmission was sent to

`Transmission.vector_id`
 the id of the vector the info was sent along

`Transmission.network_id`

the id of the network the transmission is in

`Transmission.info_id`

the id of the info that was transmitted

`Transmission.receive_time`

the time at which the transmission was received

`Transmission.status`

the status of the transmission, can be “pending”, which means the transmission has been sent, but not received; or “received”, which means the transmission has been sent and received

29.6.2 Relationships

`Transmission.origin`

the Node that sent the transmission.

`Transmission.destination`

the Node that the transmission was sent to.

`Transmission.vector`

the vector the info was sent along.

`Transmission.network`

the network the transmission is in.

`Transmission.info`

the info that was transmitted.

29.6.3 Methods

`Transmission.__repr__()`

The string representation of a transmission.

`Transmission.__json__()`

The json representation of a transmissions.

`Transmission.fail()`

Fail a transmission.

`Transmission.mark_received()`

Mark a transmission as having been received.

29.7 Transformation

A Transformation is a relationship between two Infos. It is similar to how a Vector indicates a relationship between two Nodes, but whereas a Vector allows Nodes to Transmit to each other, Transformations don't allow Infos to do anything new. Instead they are a form of book-keeping allowing you to keep track of relationships between various Infos.

class `dallinger.models.Transformation` (*info_in, info_out*)

An instance of one info being transformed into another.

29.7.1 Columns

- `Transformation.type`
a String giving the name of the class. Defaults to “transformation”. This allows subclassing.
- `Transformation.node_id`
the id of the Node that did the transformation.
- `Transformation.network_id`
the id of the network the transformation is in.
- `Transformation.info_in_id`
the id of the info that was transformed.
- `Transformation.info_out_id`
the id of the info produced by the transformation.

29.7.2 Relationships

- `Transformation.node`
the Node that did the transformation.
- `Transformation.network`
the network the transmission is in.
- `Transformation.info_in`
the info that was transformed.
- `Transformation.info_out`
the info produced by the transformation.

29.7.3 Methods

- `Transformation.__repr__()`
The string representation of a transformation.
- `Transformation.__json__()`
The json representation of a transformation.
- `Transformation.fail()`
Fail a transformation.

29.8 Participant

The Participant object corresponds to a real world participant. Each person who takes part will have a corresponding entry in the Participant table. Participants can be associated with Nodes and Questions.

class `dallinger.models.Participant` (*recruiter_id, worker_id, assignment_id, hit_id, mode, fingerprint_hash=None*)
An ex silico participant.

29.8.1 Columns

- `Participant.type`
a String giving the name of the class. Defaults to “participant”. This allows subclassing.

Participant.**worker_id**

A String, the worker id of the participant.

Participant.**assignment_id**

A String, the assignment id of the participant.

Participant.**unique_id**

A String, a concatenation of *worker_id* and *assignment_id*

Participant.**hit_id**

A String, the id of the hit the participant is working on

Participant.**mode**

A String, the mode in which Dallinger is running – live, sandbox or debug.

Participant.**end_time**

The time at which the participant finished.

Participant.**base_pay**

The amount the participant was paid for finishing the experiment.

Participant.**bonus**

the amount the participant was paid as a bonus.

Participant.**status**

String representing the current status of the participant, can be –

- `working` - participant is working
- `submitted` - participant has submitted their work
- `approved` - their work has been approved and they have been paid
- `rejected` - their work has been rejected
- `returned` - they returned the hit before finishing
- `abandoned` - they ran out of time
- `did_not_attend` - the participant finished, but failed the attention check
- `bad_data` - the participant finished, but their data was malformed
- `missing_notification` - this indicates that Dallinger has inferred that a Mechanical Turk notification corresponding to this participant failed to arrive. This is an uncommon, but potentially serious issue.

29.8.2 Relationships

dallinger.models.Participant.**all_questions**

All the questions associated with this participant.

dallinger.models.Participant.**all_nodes**

All the Nodes associated with this participant.

29.8.3 Methods

Participant.**__json__**()

Return json description of a participant.

`Participant.fail()`

Fail a participant.

Set `failed` to True and `time_of_death` to now. Instruct all not-failed nodes associated with the participant to fail.

`Participant.infos (type=None, failed=False)`

Get all infos created by the participants nodes.

Return a list of infos produced by nodes associated with the participant. If specified, `type` filters by class. By default, failed infos are excluded, to include only failed nodes use `failed=True`, for all nodes use `failed=all`. Note that failed filters the infos, not the nodes - infos from all nodes (whether failed or not) can be returned.

`Participant.nodes (type=None, failed=False)`

Get nodes associated with this participant.

Return a list of nodes associated with the participant. If specified, `type` filters by class. By default failed nodes are excluded, to include only failed nodes use `failed=True`, for all nodes use `failed=all`.

`Participant.questions (type=None)`

Get questions associated with this participant.

Return a list of questions associated with the participant. If specified, `type` filters by class.

29.9 Question

A Question is a way to store information associated with a Participant as opposed to a Node (Infos are made by Nodes, not Participants). Questions are generally useful for storing responses debriefing questions etc.

`class dallinger.models.Question (participant, question, response, number)`

Responses of a participant to debriefing questions.

29.9.1 Columns

`Question.type`

a String giving the name of the class. Defaults to “question”. This allows subclassing.

`Question.participant_id`

the participant who made the response

`Question.number`

A number identifying the question. e.g., each participant might complete three questions numbered 1, 2, and 3.

`Question.question`

the text of the question

`Question.response`

the participant’s response. Stored as a string.

29.9.2 Relationships

`Question.participant`

the participant who answered the question

29.9.3 Methods

`Question.__json__()`

Return json description of a question.

`Question.fail()`

Fail a question.

Set *failed* to True and *time_of_death* to now.

The Experiment Class

Experiments are designed in Dallinger by creating a custom subclass of the base Experiment class. The code for the Experiment class is in `experiments.py`. Unlike the *other classes*, each experiment involves only a single Experiment object and it is not stored as an entry in a corresponding table, rather each Experiment is a set of instructions that tell the server what to do with the database when the server receives requests from outside.

```
class dallinger.experiments.Experiment (session=None)
    Define the structure of an experiment.

    verbose
    task
    session
    practice_repeats
    experiment_repeats
    recruiter
    initial_recruitment_size
    known_classes
    public_properties
    __init__ (session=None)
        Create the experiment class. Sets the default value of attributes.

    add_node_to_network (node, network)
        Add a node to a network.

        This passes node to add_node().

    assignment_abandoned (participant)
        What to do if a participant abandons the hit.

        This runs when a notification from AWS is received indicating that participant has run out of time. Calls fail_participant().
```

assignment_returned (*participant*)

What to do if a participant returns the hit.

This runs when a notification from AWS is received indicating that *participant* has returned the experiment assignment. Calls *fail_participant()*.

attention_check (*participant*)

Check if participant performed adequately.

Return a boolean value indicating whether the *participant*'s data is acceptable. This is meant to check the participant's data to determine that they paid attention. This check will run once the *participant* completes the experiment. By default performs no checks and returns True. See also *data_check()*.

attention_check_failed (*participant*)

What to do if a participant fails the attention check.

Runs when *participant* has failed the *attention_check()*. By default calls *fail_participant()*.

bonus (*participant*)

The bonus to be awarded to the given participant.

Return the value of the bonus to be paid to *participant*. By default returns 0.

bonus_reason ()

The reason offered to the participant for giving the bonus.

Return a string that will be included in an email sent to the *participant* receiving a bonus. By default it is "Thank you for participating! Here is your bonus."

create_network ()

Return a new network.

create_node (*participant, network*)

Create a node for a participant.

data_check (*participant*)

Check that the data are acceptable.

Return a boolean value indicating whether the *participant*'s data is acceptable. This is meant to check for missing or invalid data. This check will be run once the *participant* completes the experiment. By default performs no checks and returns True. See also, *attention_check()*.

data_check_failed (*participant*)

What to do if a participant fails the data check.

Runs when *participant* has failed *data_check()*. By default calls *fail_participant()*.

fail_participant (*participant*)

Fail all the nodes of a participant.

get_network_for_participant (*participant*)

Find a network for a participant.

If no networks are available, None will be returned. By default participants can participate only once in each network and participants first complete networks with *role="practice"* before doing all other networks in a random order.

info_get_request (*node, infos*)

Run when a request to get infos is complete.

info_post_request (*node, info*)

Run when a request to create an info is complete.

log (*text*, *key=u'????'*, *force=False*)
Print a string to the logs.

log_summary ()
Log a summary of all the participants' status codes.

networks (*role=u'all'*, *full=u'all'*)
All the networks in the experiment.

node_get_request (*node=None*, *nodes=None*)
Run when a request to get nodes is complete.

node_post_request (*participant*, *node*)
Run when a request to make a node is complete.

recruit ()
Recruit participants to the experiment as needed.

This method runs whenever a participant successfully completes the experiment (participants who fail to finish successfully are automatically replaced). By default it recruits 1 participant at a time until all networks are full.

run (**args*, ***kwargs*)
Deploy and run an experiment.

The `exp_config` object is either a dictionary or a `localconfig.LocalConfig` object with parameters specific to the experiment run grouped by section.

save (**objects*)
Add all the objects to the session and commit them.

This only needs to be done for networks and participants.

setup ()
Create the networks if they don't already exist.

submission_successful (*participant*)
Run when a participant submits successfully.

transformation_get_request (*node*, *transformations*)
Run when a request to get transformations is complete.

transformation_post_request (*node*, *transformation*)
Run when a request to transform an info is complete.

transmission_get_request (*node*, *transmissions*)
Run when a request to get transmissions is complete.

transmission_post_request (*node*, *transmissions*)
Run when a request to transmit is complete.

vector_get_request (*node*, *vectors*)
Run when a request to get vectors is complete.

vector_post_request (*node*, *vectors*)
Run when a request to connect is complete.

The Dallinger API allows the experiment frontend to communicate with the backend. Many of these routes correspond to specific functions of Dallinger’s *classes*, particularly *dallinger.models.Node*. For example, nodes have a `connect` method that creates new vectors between nodes and there is a corresponding `connect/` route that allows the frontend to call this method.

31.1 Miscellaneous routes

```
GET /ad_address/<mode>/<hit_id>
```

Used to get the address of the experiment on the unicorn server and to return participants to Mechanical Turk upon completion of the experiment. This route is pinged automatically by the function `submitAssignment` in `dallinger2.js`.

```
GET /<directory>/<page>
```

Returns the html page with the name `<page>` from the directory called `<directory>`.

```
GET /summary
```

Returns a summary of the statuses of Participants.

```
GET /<page>
```

Returns the html page with the name `<page>`.

31.2 Experiment routes

```
GET /experiment/<property>
```

Returns the value of the requested property as a JSON `<property>`. The property must be a key in the `experiment.public_properties` mapping and be JSON serializable. Experiments have no public properties by default.

```
GET /info/<node_id>/<info_id>
```

Returns a JSON description of the requested info as `info`. `node_id` must be specified to ensure the requesting node has access to the requested info. Calls experiment method `info_get_request(node, info)`.

```
POST /info/<node_id>
```

Create an info with its origin set to the specified node. `contents` must be passed as data. `info_type` can be passed as data and will cause the info to be of the specified type. Also calls experiment method `info_post_request(node, info)`.

```
POST /launch
```

Initializes the experiment and opens recruitment. This route is automatically pinged by Dallinger.

```
GET /network/<network_id>
```

Returns a JSON description of the requested network as `network`.

```
POST /node/<node_id>/connect/<other_node_id>
```

Create vector(s) between the `node` and `other_node` by calling `node.connect(whom=other_node)`. Direction can be passed as data and will be forwarded as an argument. Calls experiment method `vector_post_request(node, vectors)`. Returns a list of JSON descriptions of the created vectors as `vectors`.

```
GET /node/<node_id>/infos
```

Returns a list of JSON descriptions of the infos created by the node as `infos`. Infos are identified by calling `node.infos()`. `info_type` can be passed as data and will be forwarded as an argument. Requesting node and the list of infos are also passed to experiment method `info_get_request(node, infos)`.

```
GET /node/<node_id>/neighbors
```

Returns a list of JSON descriptions of the node's neighbors as `nodes`. Neighbors are identified by calling `node.neighbors()`. `node_type` and `connection` can be passed as data and will be forwarded as arguments. Requesting node and list of neighbors are also passed to experiment method `node_get_request(node, nodes)`.

```
GET /node/<node_id>/received_infos
```

Returns a list of JSON descriptions of the infos sent to the node as `infos`. Infos are identified by calling `node.received_infos()`. `info_type` can be passed as data and will be forwarded as an argument. Requesting node and the list of infos are also passed to experiment method `info_get_request(node, infos)`.

```
GET /node/<int:node_id>/transformations
```

Returns a list of JSON descriptions of all the transformations of a node identified using `node.transformations()`. The node id must be specified in the url. You can also pass `transformation_type` as data and it will be forwarded to `node.transformations()` as the argument type.

```
GET /node/<node_id>/transmissions
```

Returns a list of JSON descriptions of the transmissions sent to/from the node as `transmissions`. Transmissions are identified by calling `node.transmissions()`. `direction` and `status` can be passed as data and will be forwarded as arguments. Requesting node and the list of transmissions are also passed to experiment method `transmission_get_request(node, transmissions)`.

```
POST /node/<node_id>/transmit
```

Transmit to another node by calling `node.transmit()`. The sender's node id must be specified in the url. As with `node.transmit()` the key parameters are `what` and `to_whom` and they should be passed as data. However, the values these accept are more limited than for the backend due to the necessity of serialization.

If `what` and `to_whom` are not specified they will default to `None`. Alternatively you can pass an int (e.g. '5') or a class name (e.g. `Info` or `Agent`). Passing an int will get that info/node, passing a class name will pass the class. Note that if the class you are specifying is a custom class it will need to be added to the dictionary of `known_classes` in your experiment code.

You may also pass the values `property1`, `property2`, `property3`, `property4` and `property5`. If passed this will fill in the relevant values of the transmissions created with the values you specified.

The transmitting node and a list of created transmissions are sent to experiment method `transmission_post_request(node, transmissions)`. This route returns a list of JSON descriptions of the created transmissions as `transmissions`. For example, to transmit all infos of type `Meme` to the node with id 10:

```
request({
  url: "/node/" + my_node_id + "/transmit",
  method: 'post',
  type: 'json',
  data: {
    what: "Meme",
    to_whom: 10,
  },
});
```

```
GET /node/<node_id>/vectors
```

Returns a list of JSON descriptions of vectors connected to the node as `vectors`. Vectors are identified by calling `node.vectors()`. `direction` and `failed` can be passed as data and will be forwarded as arguments. Requesting node and list of vectors are also passed to experiment method `vector_get_request(node, vectors)`.

```
POST /node/<participant_id>
```

Create a node for the specified participant. The route calls the following experiment methods: `get_network_for_participant(participant)`, `create_node(network, participant)`, `add_node_to_network(node, network)`, and `node_post_request(participant, node)`. Returns a JSON description of the created node as `node`.

```
POST /notifications
GET /notifications
```

This is the route to which notifications from AWS are sent. It is also possible to send your own notifications to this route, thereby simulating notifications from AWS. Necessary arguments are `Event.1.EventType`, which can be `AssignmentAccepted`, `AssignmentAbandoned`, `AssignmentReturned` or `AssignmentSubmitted`, and `Event.1.AssignmentId`, which is the id of the relevant assignment. In addition, Dallinger uses a custom event type of `NotificationMissing`.

```
GET /participant/<participant_id>
```

Returns a JSON description of the requested participant as `participant`.

```
POST /participant/<worker_id>/<hit_id>/<assignment_id>/<mode>
```

Create a participant. Returns a JSON description of the participant as `participant`.

```
POST /question/<participant_id>
```


Create a question. `question`, `response` and `question_id` should be passed as data. Does not return anything.

```
POST /transformation/<int:node_id>/<int:info_in_id>/<int:info_out_id>
```

Create a transformation from `info_in` to `info_out` at the specified node. `transformation_type` can be passed as data and the transformation will be of that class if it is a known class. Returns a JSON description of the created transformation.

Communicating With the Server

When an experiment is running, the database and the experiment class (i.e. the instructions for what to do with the database) will be hosted on a server, the server is also known as the “back-end”. However, participants will take part in experiments via an interactive web-site (the “front-end”). Accordingly for an experiment to proceed there must be a means of communication between the front and back ends. This is achieved with routes:



Routes are specific web addresses on the server that respond to requests from the front-end. Routes have direct access to the database, though most of the time they will pass requests to the experiment which will in turn access the database. As such, changing the behavior of the experiment is the easiest way to create a new experiment. However it is also possible to change the behavior of the routes or add new routes entirely.

Requests generally come in two types: “get” requests, which ask for information from the database, and “post” requests which send new information to be added to the database. Once a request is complete the back-end sends a response

back to the front-end. Minimally, this will include a notification that the request was successfully processed, but often it will also include additional information.

As long as requests are properly formatted and correctly addressed to routes, the back-end will send the appropriate response. This means that the front-end could take any form. For instance requests could come from a standard HTML/CSS/JS webpage, a more sophisticated web-app, or even from the experiment itself.

Extra Configuration

To create a new experiment-specific configuration variable, define `extra_parameters` in your `experiment.py` file:

```
def extra_parameters():  
    config.register('n', int, [], False)
```

Here, 'n' is a string with the name of the parameter, `int` is its type, `[]` is a list of synonyms that be used to access the same parameter, and `False` is a boolean signifying that this configuration parameter is not sensitive and can be saved in plain text. Once defined in this way, a parameter can be used anywhere that built-in parameters are used.

When you run an experiment using the bot recruiter, it will look for a class named `Bot` in your `experiment.py` module.

The `Bot` class should typically be a subclass of either `BotBase` (for bots that interact with the experiment by controlling a real browser using `selenium`) or `HighPerformanceBotBase` (for bots that interact with the experiment server directly via HTTP or websockets).

The interaction of the base bots with the experiment takes place in several phases:

1. Signup (including creating a Participant)
2. Participation in the experiment
3. Signoff (including completing the questionnaire)
4. Recording completion (complete or failed)

To build a bot, you will definitely need to implement the `participate` method which will be called once the bot has navigated to the main experiment page. If the structure of your ad, consent, instructions or questionnaire pages differs significantly from the demo experiments, you may need to override other methods too.

34.1 High-performance bots

The `HighPerformanceBotBase` can be used as a basis for a bot that interacts with the experiment server directly over HTTP rather than using a real browser. This scales better than using Selenium bots, but requires expressing the bot's behavior in terms of HTTP requests rather than in terms of DOM interactions.

For a guide to Dallinger's web API, see [Web API](#).

For an example of a high-performance bot implementation, see the [Griduniverse bots](#). These bots interact primarily via websockets rather than HTTP.

34.1.1 API documentation

```
class dallinger.bots.HighPerformanceBotBase (URL, assignment_id=", worker_id=", participant_id=", hit_id=")
```

A base class for bots that do not interact using a real browser.

Instead, this kind of bot makes requests directly to the experiment server.

```
complete_experiment (status)
```

Record worker completion status to the experiment server.

This is done using a GET request to the /worker_complete or /worker_failed endpoints.

```
run_experiment ()
```

Runs the phases of interacting with the experiment including signup, participation, signoff, and recording completion.

```
sign_off ()
```

Submit questionnaire and finish.

This is done using a POST request to the /question/ endpoint.

```
sign_up ()
```

Signs up a participant for the experiment.

This is done using a POST request to the /participant/ endpoint.

34.2 Selenium bots

The *BotBase* provides a basis for a bot that interacts with an experiment using Selenium, which means that a separate, real browser session is controlled by each bot. This approach does not scale very well because there is a lot of overhead to running a browser, but it does allow for interacting with the experiment in a way similar to real participants.

By default, Selenium will try to run PhantomJS, a headless browser meant for scripting. However, it also supports using Firefox and Chrome through configuration variables.

```
webdriver_type = firefox
```

We recommend using Firefox when writing bots, as it allows you to visually see its output and allows you to attach the development console directly to the bot's browser session.

For an example of a selenium bot implementation, see the [Bartlett1932 bots](#).

For documentation of the Python Selenium WebDriver API, see [Selenium with Python](#).

34.2.1 API documentation

```
class dallinger.bots.BotBase (URL, assignment_id=", worker_id=", participant_id=", hit_id=")
```

A base class for bots that works with the built-in demos.

This kind of bot uses Selenium to interact with the experiment using a real browser.

```
complete_experiment (status)
```

Sends worker status ('worker_complete' or 'worker_failed') to the experiment server.

```
complete_questionnaire ()
```

Complete the standard debriefing form.

This does nothing unless overridden by a subclass.

driver

Returns a Selenium WebDriver instance of the type requested in the configuration.

participate()

Participate in the experiment.

This method must be implemented by subclasses of `BotBase`.

run_experiment()

Sign up, run the `participate` method, then sign off and close the driver.

sign_off()

Submit questionnaire and finish.

This uses Selenium to click the submit button on the questionnaire and return to the original window.

sign_up()

Accept HIT, give consent and start experiment.

This uses Selenium to click through buttons on the ad, consent, and instruction pages.

34.2.2 Scaling Selenium bots

For example you may want to run a dedicated computer on your lab network to host bots, without slowing down experimenter computers. It is recommended that you run Selenium in a hub configuration, as a single Selenium instance will limit the number of concurrent sessions.

You can also provide a URL to a Selenium WebDriver instance using the `webdriver_url` configuration setting. This is required if you're running Selenium in a hub configuration. The hub does not need to be on the same computer as Dallinger, but it does need to be able to access the computer running Dallinger directly by its IP address.

On Apple macOS, we recommend using Homebrew to install and run selenium, using:

```
brew install selenium-server-standalone
selenium-server -port 4444
```

On other platforms, download the latest `selenium-server-standalone.jar` file from [SeleniumHQ](#) and run a hub using:

```
java -jar selenium-server-standalone-3.3.1.jar -role hub
```

and attach multiple nodes by running:

```
java -jar selenium-server-standalone-3.3.1.jar -role node -hub http://hubcomputer.
↳example.com:4444/grid/register
```

These nodes may be on other computers on the local network or on the same host machine. If they are on the same host you will need to add `-port 4446` (for some port number) such that each Selenium node on the same server is listening on a different port.

You will also need to set up the browser interfaces on each computer that's running a node. This requires being able to run the browser and having the correct driver available in the system path, so the Selenium server can run it.

We recommend using Chrome when running large numbers of bots, as it is more feature-complete than PhantomJS but with better performance at scale than Firefox. It is best to run at most three Firefox sessions on commodity hardware, so for best results 16 bots should be run over 6 Selenium servers. This will depend on how processor intensive your experiment is. It may be possible to run more sessions without performance degradation.

Setting up notifications

Experimenters should be notified if there app is left running for a certain amount of time. The default time for this is set to 6 hours.

The following keys must be set in the configuration to allow this feature to work. You can add them to your HOME/.dallingerconfig: `dallinger_email_address`, `contact_email_on_error`, `dallinger_email_password`

Releasing a new version of Dallinger.

The Dallinger branch *master* features the latest official release for 3.X.X, and *2.x-maintenance* features the latest official 2.X.X release.

1. After you've merged the changes you want into both *master* and *2.x-maintenance*, the branches are ready for the version upgrade. We're using semantic versioning, so there are three parts to the version number. when making a release you need to decide which parts should get bumped, which determines what command you give to *bumpversion*. *major* is for breaking changes, *minor* for features, *patch* for bug fixes. Example: Running *bumpversion patch*, which will change every mention of the current version in the codebase and increase it by *0.0.1*.

2. Log your updates by editing the CHANGELOG.md, where you'll link to your version's tree using: <https://github.com/dallinger/dallinger/tree/vX.X.X>. Mark the PR with the *release* label.
3. Merge this release with the commit "Release version X.X.X."
4. After that's merged, you'll want to tag the merge commit with *git tag vX.X.X* and do *git push origin -tags*. PyPI releases versions based on the tags via *.travis.yml*.
5. If you are releasing an upgrade to an old version, revert the PyPI change and make it show the highest version number. We do this because PyPI shows the last updated version to be the latest version which may be incorrect.

CHAPTER 37

Acknowledgments

Dallinger is sponsored by the Defense Advanced Research Projects Agency through the NGS2 program. The contents of this documentation does not necessarily reflect the position or the policy of the Government and no official endorsement should be inferred.

Dallinger's predecessor, Wallace, was supported in part by the National Science Foundation through grants 1456709 and 1408652.

CHAPTER 38

Dallinger's incubator

Dallinger was one of the first scientists to perform experimental evolution. See his [Wikipedia article](#) for the specifics of his [incubation experiments](#).

Symbols

- `__init__()` (dallinger.experiments.Experiment method), 83
 - `__json__()` (dallinger.models.Info method), 77
 - `__json__()` (dallinger.models.Network method), 71
 - `__json__()` (dallinger.models.Node method), 73
 - `__json__()` (dallinger.models.Participant method), 80
 - `__json__()` (dallinger.models.Question method), 82
 - `__json__()` (dallinger.models.Transformation method), 79
 - `__json__()` (dallinger.models.Transmission method), 78
 - `__json__()` (dallinger.models.Vector method), 75
 - `__repr__()` (dallinger.models.Info method), 77
 - `__repr__()` (dallinger.models.Network method), 71
 - `__repr__()` (dallinger.models.Node method), 73
 - `__repr__()` (dallinger.models.Transformation method), 79
 - `__repr__()` (dallinger.models.Transmission method), 78
 - `__repr__()` (dallinger.models.Vector method), 75
 - `__mutated_contents()` (dallinger.models.Info method), 77
 - `__to_whom()` (dallinger.models.Node method), 73
 - `__what()` (dallinger.models.Node method), 73
- ## A
- `add_node_to_network()` (dallinger.experiments.Experiment method), 83
 - `all_incoming_transmissions` (dallinger.models.Node attribute), 72
 - `all_incoming_vectors` (dallinger.models.Node attribute), 72
 - `all_infos` (dallinger.models.Network attribute), 71
 - `all_infos` (dallinger.models.Node attribute), 72
 - `all_nodes` (dallinger.models.Network attribute), 71
 - `all_nodes` (dallinger.models.Participant attribute), 80
 - `all_outgoing_transmissions` (dallinger.models.Node attribute), 72
 - `all_outgoing_vectors` (dallinger.models.Node attribute), 72
 - `all_questions` (dallinger.models.Participant attribute), 80
 - `all_transmissions` (dallinger.models.Info attribute), 76
 - `all_transmissions` (dallinger.models.Vector attribute), 75
 - `all_vectors` (dallinger.models.Network attribute), 71
 - `assignment_abandoned()` (dallinger.experiments.Experiment method), 83
 - `assignment_id` (dallinger.models.Participant attribute), 80
 - `assignment_returned()` (dallinger.experiments.Experiment method), 83
 - `attention_check()` (dallinger.experiments.Experiment method), 84
 - `attention_check_failed()` (dallinger.experiments.Experiment method), 84
- ## B
- `base_pay` (dallinger.models.Participant attribute), 80
 - `bonus` (dallinger.models.Participant attribute), 80
 - `bonus()` (dallinger.experiments.Experiment method), 84
 - `bonus_reason()` (dallinger.experiments.Experiment method), 84
 - `BotBase` (class in dallinger.bots), 96
- ## C
- `calculate_full()` (dallinger.models.Network method), 71
 - `complete_experiment()` (dallinger.bots.BotBase method), 96
 - `complete_experiment()` (dallinger.bots.HighPerformanceBotBase method), 96
 - `complete_questionnaire()` (dallinger.bots.BotBase method), 96
 - `connect()` (dallinger.models.Node method), 73
 - `contents` (dallinger.models.Info attribute), 76
 - `create_network()` (dallinger.experiments.Experiment method), 84
 - `create_node()` (dallinger.experiments.Experiment method), 84
 - `creation_time` (dallinger.models.Info attribute), 76
 - `creation_time` (dallinger.models.SharedMixin attribute), 70
- ## D
- `data_check()` (dallinger.experiments.Experiment method), 84

data_check_failed() (dallinger.experiments.Experiment method), 84
destination (dallinger.models.Transmission attribute), 78
destination (dallinger.models.Vector attribute), 75
destination_id (dallinger.models.Transmission attribute), 77
destination_id (dallinger.models.Vector attribute), 75
driver (dallinger.bots.BotBase attribute), 97

E

end_time (dallinger.models.Participant attribute), 80
Experiment (class in dallinger.experiments), 83
experiment_repeats (dallinger.experiments.Experiment attribute), 83

F

fail() (dallinger.models.Info method), 77
fail() (dallinger.models.Network method), 71
fail() (dallinger.models.Node method), 73
fail() (dallinger.models.Participant method), 80
fail() (dallinger.models.Question method), 82
fail() (dallinger.models.Transformation method), 79
fail() (dallinger.models.Transmission method), 78
fail() (dallinger.models.Vector method), 75
fail_participant() (dallinger.experiments.Experiment method), 84
failed (dallinger.models.Info attribute), 76
failed (dallinger.models.SharedMixin attribute), 70
full (dallinger.models.Network attribute), 70

G

get_network_for_participant()
(dallinger.experiments.Experiment method), 84

H

HighPerformanceBotBase (class in dallinger.bots), 96
hit_id (dallinger.models.Participant attribute), 80

I

id (dallinger.models.Info attribute), 76
id (dallinger.models.SharedMixin attribute), 70
Info (class in dallinger.models), 76
info (dallinger.models.Transmission attribute), 78
info_get_request() (dallinger.experiments.Experiment method), 84
info_id (dallinger.models.Transmission attribute), 78
info_in (dallinger.models.Transformation attribute), 79
info_in_id (dallinger.models.Transformation attribute), 79
info_out (dallinger.models.Transformation attribute), 79
info_out_id (dallinger.models.Transformation attribute), 79
info_post_request() (dallinger.experiments.Experiment method), 84

infos() (dallinger.models.Network method), 71
infos() (dallinger.models.Node method), 73
infos() (dallinger.models.Participant method), 81
initial_recruitment_size (dallinger.experiments.Experiment attribute), 83
is_connected() (dallinger.models.Node method), 73

K

known_classes (dallinger.experiments.Experiment attribute), 83

L

latest_transmission_recipient()
(dallinger.models.Network method), 71
log() (dallinger.experiments.Experiment method), 84
log_summary() (dallinger.experiments.Experiment method), 85

M

mark_received() (dallinger.models.Transmission method), 78
max_size (dallinger.models.Network attribute), 70
mode (dallinger.models.Participant attribute), 80
mutate() (dallinger.models.Node method), 73

N

neighbors() (dallinger.models.Node method), 74
Network (class in dallinger.models), 70
network (dallinger.models.Info attribute), 76
network (dallinger.models.Node attribute), 72
network (dallinger.models.Transformation attribute), 79
network (dallinger.models.Transmission attribute), 78
network (dallinger.models.Vector attribute), 75
network_id (dallinger.models.Info attribute), 76
network_id (dallinger.models.Node attribute), 72
network_id (dallinger.models.Transformation attribute), 79
network_id (dallinger.models.Transmission attribute), 77
network_id (dallinger.models.Vector attribute), 75
networks() (dallinger.experiments.Experiment method), 85
networks_transformations (dallinger.models.Network attribute), 71
networks_transmissions (dallinger.models.Network attribute), 71
Node (class in dallinger.models), 72
node (dallinger.models.Transformation attribute), 79
node_get_request() (dallinger.experiments.Experiment method), 85
node_id (dallinger.models.Transformation attribute), 79
node_post_request() (dallinger.experiments.Experiment method), 85
nodes() (dallinger.models.Network method), 71

nodes() (dallinger.models.Participant method), 81
 number (dallinger.models.Question attribute), 81

O

origin (dallinger.models.Info attribute), 76
 origin (dallinger.models.Transmission attribute), 78
 origin (dallinger.models.Vector attribute), 75
 origin_id (dallinger.models.Info attribute), 76
 origin_id (dallinger.models.Transmission attribute), 77
 origin_id (dallinger.models.Vector attribute), 75

P

Participant (class in dallinger.models), 79
 participant (dallinger.models.Node attribute), 72
 participant (dallinger.models.Question attribute), 81
 participant_id (dallinger.models.Node attribute), 72
 participant_id (dallinger.models.Question attribute), 81
 participate() (dallinger.bots.BotBase method), 97
 practice_repeats (dallinger.experiments.Experiment attribute), 83
 print_verbose() (dallinger.models.Network method), 71
 property1 (dallinger.models.Info attribute), 76
 property1 (dallinger.models.SharedMixin attribute), 70
 property2 (dallinger.models.Info attribute), 76
 property2 (dallinger.models.SharedMixin attribute), 70
 property3 (dallinger.models.Info attribute), 76
 property3 (dallinger.models.SharedMixin attribute), 70
 property4 (dallinger.models.Info attribute), 76
 property4 (dallinger.models.SharedMixin attribute), 70
 property5 (dallinger.models.Info attribute), 76
 property5 (dallinger.models.SharedMixin attribute), 70
 public_properties (dallinger.experiments.Experiment attribute), 83

Q

Question (class in dallinger.models), 81
 question (dallinger.models.Question attribute), 81
 questions() (dallinger.models.Participant method), 81

R

receive() (dallinger.models.Node method), 74
 receive_time (dallinger.models.Transmission attribute), 78
 received_infos() (dallinger.models.Node method), 74
 recruit() (dallinger.experiments.Experiment method), 85
 recruiter (dallinger.experiments.Experiment attribute), 83
 replicate() (dallinger.models.Node method), 74
 response (dallinger.models.Question attribute), 81
 role (dallinger.models.Network attribute), 70
 run() (dallinger.experiments.Experiment method), 85
 run_experiment() (dallinger.bots.BotBase method), 97
 run_experiment() (dallinger.bots.HighPerformanceBotBase method), 96

S

save() (dallinger.experiments.Experiment method), 85
 session (dallinger.experiments.Experiment attribute), 83
 setup() (dallinger.experiments.Experiment method), 85
 sign_off() (dallinger.bots.BotBase method), 97
 sign_off() (dallinger.bots.HighPerformanceBotBase method), 96
 sign_up() (dallinger.bots.BotBase method), 97
 sign_up() (dallinger.bots.HighPerformanceBotBase method), 96
 size() (dallinger.models.Network method), 71
 status (dallinger.models.Participant attribute), 80
 status (dallinger.models.Transmission attribute), 78
 submission_successful() (dallinger.experiments.Experiment method), 85

T

task (dallinger.experiments.Experiment attribute), 83
 time_of_death (dallinger.models.Info attribute), 76
 time_of_death (dallinger.models.SharedMixin attribute), 70
 Transformation (class in dallinger.models), 78
 transformation_applied_to (dallinger.models.Info attribute), 76
 transformation_get_request() (dallinger.experiments.Experiment method), 85
 transformation_post_request() (dallinger.experiments.Experiment method), 85
 transformation_whence (dallinger.models.Info attribute), 77
 transformations() (dallinger.models.Info method), 77
 transformations() (dallinger.models.Network method), 71
 transformations() (dallinger.models.Node method), 74
 transformations_here (dallinger.models.Node attribute), 72
 Transmission (class in dallinger.models), 77
 transmission_get_request() (dallinger.experiments.Experiment method), 85
 transmission_post_request() (dallinger.experiments.Experiment method), 85
 transmissions() (dallinger.models.Info method), 77
 transmissions() (dallinger.models.Network method), 71
 transmissions() (dallinger.models.Node method), 74
 transmissions() (dallinger.models.Vector method), 76
 transmit() (dallinger.models.Node method), 74
 type (dallinger.models.Info attribute), 76
 type (dallinger.models.Network attribute), 70
 type (dallinger.models.Node attribute), 72
 type (dallinger.models.Participant attribute), 79
 type (dallinger.models.Question attribute), 81
 type (dallinger.models.Transformation attribute), 79
 unique_id (dallinger.models.Participant attribute), 80

update() (dallinger.models.Node method), 75

V

Vector (class in dallinger.models), 75

vector (dallinger.models.Transmission attribute), 78

vector_get_request() (dallinger.experiments.Experiment method), 85

vector_id (dallinger.models.Transmission attribute), 77

vector_post_request() (dallinger.experiments.Experiment method), 85

vectors() (dallinger.models.Network method), 72

vectors() (dallinger.models.Node method), 75

verbose (dallinger.experiments.Experiment attribute), 83

W

worker_id (dallinger.models.Participant attribute), 79